




Module	m	8
Teeth no.	z	125
Teeth pressure angle	$\alpha$	20°
Modification coefficients	x	0
Reduction coefficients	km	0.8
Precision(GB10095-88)		10
Average base tangent length and deviation	W	332.84 +0.62 +0.44
Spanned tooth count.	k	14
Base tangent length change tolerances	FW	0.16



No.	Standard	Component	Material	Model	Qty	Remark	
08	HG/T2811	Seals	NBRI-3	W17	2		
07	GB117-76	Pin	CN45	$\Phi 5 \times 45$	1		
06		Plug	CN45	$\Phi 25$	1		
05	JB/T7940.7	Oil nipple	Component	M8x1	4		
04	GB/T699	Inner ring	50Mn		1		
03	GB/T308-200	Ball	GCr15	19.844	142±1		
02	HG/T2349	Spacer	Nylon	D20	142±1		
01	GB/T699	Outer ring	50Mn		1		
		Model	WD-232.20.1094	Drawing		Weight	80.3kg
		Name	Slewing Bearing	Qty		Scale	
		Material	50Mn	Total 1 page		the 1st page	
Design	Standard						
Check							
Process	Approve						
Date							



XUZHOU WANDA SLEWING BEARING CO.,LTD

Tel: +86 516 83309366 Fax: +86 516 83915766  
http://www.slew-bearing.com